

STANDARD ESCALATOR/ TRAVELATOR

TGSI WARNING INDICATORS



STANDARD ESCALATOR/

TRAVELATOR

TGSI WARNING INDICATORS

DTAC 0008
LAYOUT DIAGRAM
TACTILE GROUND
SURFACE INDICATORS
(TGSIs) - WARNING
VERSION 03
PUBLISHED 28.10.11

DTAC®

DTAC 0008

LAYOUT DIAGRAM

DETAILS

Installation Notes:
TGSi Warning Indicators installed
on a standard escalator/travelator.

PROJECT

**NGV International,
National Gallery of Victoria**

This project required a standard application of warning indicators to the top and bottom of the escalators. Warning Indicators set 300mm back from the edge of the moving handrail to a depth of 600mm by the width between of the moving stairway, (in this case, between the centre of the moving handrail to the other), were installed to give a clear tactile cue for both the approach and alighting from the moving stairway. For more detail, see AS/NZS 1428.4 [2002].

INSTALLATION

TGSi's (Warning)

NOTES

Layout of discrete warning TGSi's
Drawings in millimetres
Drawings not to scale unless noted

LEGEND

- Area requiring TGSi installation
- Moving handrail

DISCLAIMER

No one should act or rely upon the information contained within this document without first referring to the current AS/NZS 1428.1 [2009]—Design for Access and Mobility [Part 1: General Requirements for Access—New Building Work] and the current AS/NZS 1428.4.1 [2009]—Means to Assist the Orientation of People with Vision Impairment (Tactile Ground Surface Indicators), satisfying themselves that any proposed installations are in accordance with such standards or other applicable building regulations, including the National Construction Code (NCC) [effective from 01.05.11]—previously referred to as the Building Code of Australia (BCA)—and in particular the 'deemed-to-satisfy-provisions' of the NCC and Disability (Access to Premises—Buildings) standards, as they apply from one situation to another. Furthermore, the information provided is solely for the purposes of TGSi's and is not related to the design, configuration or formation to stairs, handrails, ramps, accessible paths and 'way-finding' depicted therein.

© DTAC Pty Ltd
ABN 41 093 070 127, May 2011
Reproduction is by written permission only and must accompany the brand and copyright acknowledgement of DTAC Pty Ltd.

DTAC PTY LTD

PO BOX 5059
SOUTH MELBOURNE VIC 3205
AUSTRALIA
T 1300 793 478
F 1300 780 628
SOLUTIONS@DTAC.COM.AU
WWW.DTAC.COM.AU

FIGURE 0008-A




FIGURE 0008-B

