

EXTERNAL BUILDING ENTRY

WITH ACCESS RAMPS

INTERSECTING CENTRAL STAIR

TGSI WARNING INDICATORS



# EXTERNAL BUILDING ENTRY

# WITH ACCESS RAMPS

# INTERSECTING CENTRAL STAIR

## TGSI WARNING INDICATORS

DTAC 0026  
LAYOUT DIAGRAM  
TACTILE GROUND  
SURFACE INDICATORS  
(TGSIs)-WARNING  
VERSION 02  
PUBLISHED 27.05.1

**DTAC**<sup>®</sup>

DTAC 0026 LAYOUT DIAGRAM

### DETAILS

Installation Notes:  
TGSi Warning Indicators installed at  
building entry with access ramps  
intersecting central stair.

### PROJECT

#### Prahran Town Hall

Originally this heritage listed building had stairs to the left and right sides of the central staircase. To improve access, ramps were designed and installed to look as they are depicted. As a result TGSi's were retrofitted on existing pavements. As there are several directions of travel that can be chosen when alighting from the building, TGSi's have been used around the entire hazard to give a constant message to the user providing safe and guided access.

### INSTALLATION

TGSi's (Warning)

### NOTES

Layout of discrete warning TGSi's  
Drawings in millimetres  
Drawings not to scale unless noted

### LEGEND

- Area requiring TGSi installation
- Installed handrail
- ← Upward gradient along path of travel
- /// Solid wall

### DISCLAIMER

No one should act or rely upon the information contained within this document without first referring to the current AS/NZS 1428.1 (2009)—Design for Access and Mobility (Part 1: General Requirements for Access—New Building Work) and the current AS/NZS 1428.4.1 (2009)—Means to Assist the Orientation of People with Vision Impairment (Tactile Ground Surface Indicators), satisfying themselves that any proposed installations are in accordance with such standards or other applicable building regulations, including the National Construction Code (NCC) (effective from 01.05.11)—previously referred to as the Building Code of Australia (BCA)—and in particular the 'deemed-to-satisfy-provisions' of the NCC and Disability (Access to Premises—Buildings) standards, as they apply from one situation to another. Furthermore, the information provided is solely for the purposes of TGSi's and is not related to the design, configuration or formation to stairs, handrails, ramps, accessible paths and 'way-finding' depicted therein.

© DTAC Pty Ltd  
ABN 41 093 070 127, May 2011  
Reproduction is by written permission only and must accompany the brand and copyright acknowledgement of DTAC Pty Ltd.

### DTAC PTY LTD

PO BOX 5059  
SOUTH MELBOURNE VIC 3205  
AUSTRALIA  
T 1300 793 478  
F 1300 780 628  
SOLUTIONS@DTAC.COM.AU  
WWW.DTAC.COM.AU

FIGURE 0026-A




FIGURE 0026-B

